

# POPULAR Computing WEEKLY

1 July 1982 Vol 1 No 11

30p

**Robot Control  
on ZX81**

**Atom Galaxian**

**ZX81  
speech pack**

**Basic  
re-numbering**

**More Spectrum  
Graphics**

**Win a ZX Spectrum  
& ZX Printer -  
details inside**



# Our classifieds are faster.

Do you want to sell your computer and buy a bigger and better one?

Have you ever thought of trying to make some money out of selling tapes of your own programs?

Whatever it is you want to buy or sell why not use our classified pages?

It has to be better than waiting for up to nine weeks to get into one of the old monthly magazines.

Not only that, but our rates are very reasonable.

For private individuals it only costs 20p per word, with a minimum of 10 words.

We can make it so cheap because we charge companies using the classified columns 40p per word.

The classified pages can be used for semi-display advertising.

The cost for this is £10 per single column centimetre, with a minimum charge of £30.

All copy for the classified pages must be pre-paid. (You'll find a handy form on page 22).

Cheques and postal orders should be made out to *Popular Computing Weekly*. Your advertisement should arrive at least two weeks before the publication date.

If you have any queries regarding Classified or semi-display advertising please call Alastair Macintosh on 01-930 3840

**Popular Computing Weekly.**  
**The fast one.**

# POPULAR Computing WEEKLY

## The Team

### Editor

Brendan Gore

### Reporter

David Kelly [01-830 3271]

### Sub-editor

Peter Harvey

### Editorial Secretary

Fiona McCormick

### Advertisement Manager

David Lake [01-839 2846]

### Advertisement Executive

Alastair Macintosh [01-830 3940]

### Managing Editor

Duncan Scott


### Publishing Director

Nick Hampshire

Popular Computing Weekly,  
Hobhouse Court, 19 Whitcomb Street,  
London WC2  
Telephone: 01-839 6335

Published by Sunshine Publications Ltd.

Typesetting, origination and printing by  
Chesham Press, Chesham, Bucks

Distributed by  Distribution  
London SW9 01-274 8811, Telex 281643

© Sunshine Publications Ltd 1982

### Subscriptions

You can have Popular Computing Weekly sent  
to your home: the subscription rate is £19.95 per  
year, for addresses in the UK.

### How to submit articles

Articles which are submitted for publication  
should not be more than 1000 words long.

All submissions should be typed and a double  
space should be left between each line.

Programs should, wherever possible, be  
computer printed.

At present we cannot guarantee to return  
every submitted article, so please keep a copy.

### Accuracy

Popular Computing Weekly cannot accept any  
responsibility for any errors in programs we  
publish, although we will always try our best to  
make sure programs work.

## This Week



Cover illustration by Ian Craig

### News

ICL strike hits Basic.

### Letters

Brass envelope on Vic 20.

### Robot Control

A 16K game for ZX81.

### Club Reports

The Sinclair amateur radio group.

### Reviews

Charset-20 and Speech pack.

### Open Forum

Seven pages of programs.

### Award scheme

Win a ZX Spectrum.

### Programming

Basic re-numbering.

### Spectrum

More graphics routines.

### Sound & Vision

Two tunes to play.

### Peek & poke

Your questions answered.

### Competitions

Puzzle, crossword.

## Editorial

The phenomenal growth in the number of home microcomputers over the past two years has given rise to a similar growth in the number of different computer languages.

The ZX81, Vic20, Spectrum, BBC micro and TRS80, all have their own versions of Basic — the most commonly used microcomputer language. Unfortunately, most of these variations of Basic are mutually exclusive. A program written for a Vic20 will not run on a ZX81 or a BBC micro.

It is usually possible to convert programs from one version of Basic to another, but it is time consuming and a waste of effort that could better be put to writing original programs.

However, the chances of a standard version of Basic being voluntarily adopted throughout the industry are so remote as to be hardly worthy of consideration. No manufacturer is going to promote another company's products at his own expense.

The solution to this problem lies in the hands of the users. An organised users lobby could put pressure on the manufacturers to agree to a common form of Basic. They will not do it on their own.

## Next Week



You're lost in time  
with a rogue space frigate  
hot on your vapour trail. Have  
you got the skill to be a Time Traveller?



## ICL strike ends hopes of early Micro B delivery

The gremlins which have so far pushed delivery of the BBC Micro B back to six months, have struck again with a strike at ICL, the main supplier.

The production stoppage at ICL's Kidsgrove plant has brought all deliveries of the B machine to a halt.

Acorn's John Coll admits that ICL's production, at 700 units per week, was already 500 per week below target. Now the company is taking strenuous steps to inspire confidence in its ability to supply the B machine.

Two other manufacturers, apart from ICL, will shortly

begin production of the model B. They are AB Electronic Systems — formerly Clearstone — who begin production immediately, and Race Electronics of Llantrisant, who commence production in the middle of this month.

With three companies producing the B machine, Acorn expects to quickly reduce its six-month backlog. Meanwhile John Coll told PCW: "I'm saddened and frustrated by the whole ICL situation. The position is acutely embarrassing. We thought we would be at the four-week order turnaround stage ages ago."

Although no cheques are now being cashed and no credit-card orders have been drawn, there are still longstanding orders for which cheques have been cashed.

John Coll explained that Acorn will give a refund to customers who replace their cashed-cheque orders with a credit-card order. This offer will not prejudice the purchaser's position in the queue of orders. The credit-card account will then not be drawn until the micro is dispatched.

Deliveries of the model A have been unaffected by production difficulties.

## Spectrum get to the customer

Delivery of the first production run Spectrums has now taken place.

The batch forms part of the delivery of machines returned to Times for further work. This followed the discovery of a design flaw, reported in *Popular Computing Weekly*, June 17.

To correct the reported data-bus clash, each of the micros dispatched has been modified by hand.

Pins 36 and 37 of the ULA chip have been cut away from the printed-circuit board and a NAND gate inserted between the ULA and the board. This means that Pins 36 and 37 are inhibited when the input/output request lines from the microprocessor are operating.

This gives priority to the CPU over the ULA when both are trying to use the same data.

The design modification has now been incorporated into the production line at Times and at the time of going to press the second batch had left the factory.



Heat functional lines... the Amber 2400 printer.

## Amber unveils low-cost matrix printer

A new dot matrix printer is to be manufactured by Amber Controls Ltd.

To be priced at just under £70, the Amber 2400 printer is intended for use with BBC, Vic20 or Tangerine micros. A version for the ZX81 will also be produced.

The text print width is 24 characters. The machine was designed for use with ordinary paper to reduce running costs.

The Amber 2400 is of the inked ribbon type. It uses four print solenoids which each covers one-quarter of the paper width. The paper is incrementally by one dot-height during the return scan of the print heads.

The printer is supplied with its own built-in operating system and power supply.

Available from the end of August, the Amber 2400 will be priced at \$99.95 plus VAT. Five 90lb rolls of paper and one inked ribbon will cost about £2.50.

For further details contact: Amber Controls Ltd, Central Way, Walsworth Industrial Estate, Andover, Hants.



Ground Controls' 16K I/O board

## Latest I/O port for ZX81

A new combined 16K Ram and I/O board for the ZX81 has been launched by Ground Controls.

The board plugs into the expansion connector at the rear of the ZX81.

The I/O interface is memory mapped and uses the 8255 PPI0 chip. The I/O has two 14-pin DIL sockets.

The module is available, with power supply, either complete for £53 or in kit-form for £10.75.

Information from Ground Controls, Allreda Avenue, Holford, Essex.

## Software debut for the ZX82

Two companies have produced the first software for the Sinclair Spectrum.

AVC Software has produced *Furture*, a colourised version of their *Madam ZX81*.

Bug-Byte Software has launched *Spectral Invaders* — the first *Invaders* game for the Spectrum.

*Furture* costs £3 from AVC Software, PO Box 415, Birmingham.

*Spectral Invaders* costs £5 from Bug-Byte Software, Freeport, Liverpool L3/AB.

## Spectrum tapes Microfest '82

In a comparison of home computers in *Popular Computing Weekly*, June 24, we mistakenly stated that the Spectrum cassette system did not work.

The ZX Spectrum loads, saves and verifies programs at 1500 baud. We have had no problems with the system.

## Japanese link-up for IBM

IBM is currently negotiating with Japanese firm Matsushita Electric Industrial to develop joint business ties.

One possible venture may

involve the joint development and distribution of a new personal computer.

Matsushita already supplies IBM components.

# LASERBUG

Whether you are a BBC Microcomputer owner, have limited access or are merely interested, then LASERBUG has something to offer you.

**LASERBUG** is an independent users group dedicated to the support and enhancement of the BBC Microcomputer.

**LASERBUG** is a central point for ideas and information — we want to hear from you and pass on your ideas and discoveries. Write to us at the address below — but please enclose a SAE if you want a reply.

**LASERBUG** newsletter is distributed to members each month and is full of news, reviews, letters, articles, programs, contacts and classified rates on application. Our regular meetings also go a long way to help you get the best out of your BBC Microcomputer.

You want to join? For £12.00 you get a year's subscription to **LASERBUG**, 12 issues of the newsletter and free entry to all **LASERBUG**'s meetings and shows — or send £1 and a large SAE (12" x 9") for a sample copy of the **LASERBUG** newsletter and all the latest information.

Write to:

**LASERBUG**  
4 Station Bridge, Woodgrange Road,  
Forest Gate, London E7 6NF.

**NEW**

**KEMPSTON (MICRO)  
ELECTRONICS**

only  
**£26.00**  
built

## Introducing the **ZX81 KLIK-KEYBOARD**



This is a full, forty key moving keyboard with real keys that fit in 100 rows left after peeling off the existing 'touch sensitive' membrane keypad.

It offers the following advantages

- Fits onto the ZX81
- Positive feedback from keys
- No trailing wires
- No special case needed
- Elegant design with two colour legends

This is a most attractive keyboard which will enhance the appearance and improve the performance of your ZX81. Why pay more for an oversized keyboard?

Cheques/Postal orders made payable to:  
**KEMPSTON ELECTRONICS, 60 ADAMSON COURT,  
HILLGROUNDS ROAD, KEMPSTON,  
BEDFORD MK42 8QZ.**

Other ZX81 products include keyboard two-tone Sleeper £6.95 built, keyboard repeat key kit £2.95 + postage on both items.

ZX81 klik-keyboard kit at £22.50, fully built at £26.00. Please add 70p for postage. Delivery 14 days from receipt of order. SAE in all correspondence please. Proprietor A. Pandey, B.Sc. P.G.C.E.

## MORE FUN WITH YOUR ZX81!



## 16K RAM PACK

PUSH-ON PLUG-COMPATIBLE MEMORY

The addition of our fully-compatible, assembled, tested and guaranteed 16K Ram Pack means more memory for better games and programs

**ORDER YOURS TODAY FROM:**

Phoenix Marketing Services  
Dept. P.C.W., Oaklands House  
Solartron Road, Farnborough  
Hants GU14 9QL

Please send me the 16K Byte 16K Ram Pack. I enclose cheque/postal order for £25.00 (includes VAT, Postage & Packing)

Name \_\_\_\_\_

Address \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Dept. E

allow 28 days for delivery

Fully

**£25.00**

inclusive

# Letters

## Let's put the record straight

**R**e your Spectrum Review, May 5, I would like to point out that the maximum number of colours you can put on the screen on the BBC Micro, at any one time, is not four but eight. Here is the program:

```
10 C=0
20 MODE 1
30 FOR A=120 TO 130
40 C=C+1
50 VDU A
60 PRINT "COLOUR":C
70 N/A
```

In the now famous ZX Spectrum catalogue, Sinclair have a table. In the table, they say the BBC Micro has no user-definable graphics. Well it has, VDU 23 allows this. Have a look at Neil and Pat Cryer's book *Basic Programming on the BBC Microcomputer*.

Sinclair also say the BBC Micro has no VERIFY command. It has—\*CAT will not only catalogue, it will also show SAVE errors.

Sinclair do not point out that the BBC Micro has 320x256 hi-res graphics. Nor do they mention that the BBC Micro has 42 different plot commands. The only thing the BBC does not have that the Spectrum does have is "BRIGHT". I am sure that it is better to have a highly expandable system, with the most powerful basic and the highest-res graphics for under £400, than a ZX Spectrum which can only play one note at a time compared with the BBC's four.

Robert Lober  
Rivendell  
13 Pelly-min Crescent  
Cardiff CF5 6LR

## A Harrowing view of PCW

**P**opular Computing Weekly has made a promising start and I hope you can maintain the momentum. It is an unfortunate fact that 90 percent of program listings contain submitted and/or typographical errors in all magazines (at present I am buying eight

monthly magazines and your weekly magazine).

Not having had time to enter and run any of the programs in *Popular Computing Weekly* (issues 1-5), I am not in a position to comment on the percentage of errors contained within them. However, in issue 4, Barry Cornhill's feature on Chaining ZX81 programs together omits the six mentioned programs altogether. Any chance of printing them in a future issue?

Lastly, please scrap "Citizen Pain" — it is a total non-event content-wise. It would be better to leave that section of the page blank, for competition doodlings etc. The thought of Messrs Ireland and Macdonald being paid for that drivel makes my eyes water.

Bill O'Brien  
105 Rothborough Road  
Harrow HA1 1NT

## Playing the RAND game

**A** tip for people with ZX81s and Toni Baker's *mc code book* — enter "RAND 640" before running "Life". You will be in for a surprise, to say the least.

Other interesting RANDs are 440, 480 and 510. Any offers for more, as they definitely exist?

Paul F Tatham  
16 Thirlmere Road  
Densbury  
West Yorkshire WF12 7ED

## GOTO this VAL function

**I**n the first issue of *Popular Computing Weekly* (it abbreviates to PCW) Graham Charlton described a method of converting the ON...GOTO facility for use in ZX81 programs using the AND logical connective.

The method I use may be of interest to readers. It has the advantage that it does not involve re-numbering, as GOTO 100+1, and it also looks more like the conventional ON...GOTO. Simply use the VAL function along with the string slicing properties of ZX

basic. For example, to translate:

```
ON J GOTO 1200,2420,1000,25
for the ZX, write:
GOTO VAL "1200,2420,1000,25"
(J+J-1 TO 4+J)
```

Clearly, if the line numbers were no more than three characters long then the term in brackets could be written (3+J-1 TO 3+J).

Alexander Macphire  
26 Glenburn Gardens  
Whitburn  
West Lothian EH47 5NL

## Manpower helps the ZX printer

**R**oger Bentley may find that the answer to his problem of faint printing on the ZX81 (Peek & Poke, April 23) is to pull the paper gently as it feeds through. The ZX81 printer is like a car with a flat battery — so much current is taken by the motor that there is nothing left for the spark. Easing the load on the motor in this way may give a darker print.

Tim Goldingham  
11 Farnie Platt Road  
Maidenhead SL6 7ND

## Please look Sharp about it!

**C**ongratulations on an excellent magazine. I have found only one snag with it — I have recently outgrown my ZX81 and expanded to a Sharp MZ80K. Please, please, please could you cater for the MZ80K as well as the ZX81, Vic and BBC Micro. I am looking forward to the next issue of *Popular Computing Weekly* and hope you feature the MZ80K.

Nigel Nock  
Cwmffort House  
Bowth Lane  
Caerphilly  
Glamorgan

South Wales CF8 2TW

## Catering for the top brass...

**I**n reply to your Sound and Vision article in your May 27 issue, please find enclosed a subroutine for producing a brass envelope on a Vic-20.

This should work on any music producing micro. You would only need to alter the volume address "V" (36876 on the Vic) and the limits of this (0 to 15) on the Vic. You may also like to amend the quantities in the delay (FOR-NEXT) loops to take into account the different counting speeds of micros.

Once you have set up a series of pitch poles to make your tune in the normal fashion — you only need to enter GOSUB 1000 after each pole.

The volume starts and drops back to one. This is to eliminate the annoying click which is heard when the volume "V" is poked on and off. The volume should be poked off at the end of the tune to avoid a constant drone in the rest of the program.

Of course, this is not a true brass synthesis, as there is neither sawtooth wave nor envelope filter, but it gives more realism than the drainpipe on/off sound, with which micros seem to be lumbered.

Although I would not play my Vic during a live performance, I do use it to produce a repeating melody and a display on a monitor, prior to our band's venture on stage at gigs.

```
1 V=36876
1000 REM BRASS ENVELOPE
1002 REM (ADSR)
1004 FOR A=1 TO 15
1006 POKE V,A
1008 FOR T=1 TO 2
1010 NEXT T
1012 REM (ADSR)
1014 FOR D=16 TO 4 STEP -1
1016 POKE V,D
1018 NEXT D
1020 REM (ADSR)
1022 FOR S=1 TO 30
1024 NEXT S
1026 REM (ADSR)
1028 FOR R=4 TO 1 STEP -1
1030 POKE V,R
1032 FOR T=1 TO 4
1034 NEXT T
1036 RETURN
```

D Whitaker  
204 Poplar Court  
Salford 6

If you have an opinion you want to express, or have spotted an error that needs correcting, write to: Letters, *Popular Computing Weekly*, Poplarhouse Court, 19 Whitcomb Street, London WC2.

# Robot Control

You are living in a world dominated by robots. All the work is done by robots, while humans follow a hedonistic lifestyle devoted to idle pleasure.

In a society similar to ancient Rome, life has lost its meaning and its value. Pleasure has become the ultimate goal and bloodlust the ultimate pleasure.

To satisfy this growing desire for blood, a world-wide lottery has been instituted. Everybody's name is fed into the central computer. You are one of the unlucky few who has been chosen to compete in The Games.

A miniature radio transmitter has been surgically implanted in your body and you have been released in an arena. A robot, attuned to the transmitter in your body, is pursuing you relentlessly. The only way you can escape is by forcing the robot to step onto a mine. If you position yourself so the mine lies in the robot's path, it will step onto it and be destroyed.

But, your respite will be brief. If you succeed in evading the first robot, two more will be released in the arena. If you manage to avoid these two robots, three more will take their place, and so on.

## Machine code

This program runs on a 16K ZX81 and makes judicious use of machine code. But, the program must be entered exactly as shown in the listing to ensure that the correct addresses are used. Particular attention should be paid to lines 100-137, as they contain the hex code for the machine code. Line 1 should consist of exactly 450 dots.

After entering the program, you should save it onto tape immediately. This will


save you from typing in the entire program again if the computer should crash.

When the program is run, the screen will go blank for a few seconds while the machine code is poked into line 1. If you have made any mistakes in entering the hex code, the following message will appear on the screen: "PARITY ERROR AT LINE N". You should then correct any mistakes on that line before attempting to run the program again.

If you have entered the program correctly, the arena will appear on the screen. You will be represented by an H in the top left-hand corner. A robot will appear in the form of an inverse quotation mark and a mine will appear as a grey square.

To move the H around the screen, use the keys in a square around the S key.

Q	W	E
A	↑	D
Z	↓	C
	X	







# READ-OUT

READ-OUT FOR  
SOFTWARE  
& BOOKS

## POPULAR COMPUTING WEEKLY/READ-OUT BOOK SERVICE

### For the BBC Micro:

If you own a BBC Micro, the *Practical Programs* for the BBC Computer by David Johnson-Davies, is the book for you! It contains over twenty practical programs ranging from maths and graphics to language manipulation and games. The programs have been tested and they work!

Now that Auntie Beeb is actually delivering its micros to customers, *BASIC Programming on the BBC Microcomputer* by Neil and Pat Cryer will provide an excellent introduction on how to program in BASIC specifically for the BBC Micro. Every program has been tested on a production model.

### For the ZX81:

*Byteing Deeper into Your ZX81* by Mark Harrison is the bestseller which tells you how to get to grips with your ZX81 and with 39 programs to match!

The *ZX81 Pocket Book* by Trevor Toms covers the use of the ZX81 in detail and leads the reader into a clear understanding of programming.

*20 Simple Electronic Projects for the ZX81* by Stephen Adams can really put your ZX81 to practical use in a number of electronic projects—thermometer, burglar alarm, voltmeter etc.

*34 Amazing Games for the ZX81* by Alistair Gourlay, shows you what you can do with only 1K of memory.

### For the PET:

An excellent introduction for beginners and an invaluable aid for enthusiasts is *The Personal Computer Book* 2nd Edition by Robin Bradbeer which tells you all you need to know about microcomputers.

"... sets out in a very entertaining and readable form the facts on owning a computer ..."

### Computing Today

"Robin Bradbeer's book provides all the information in one place, in a sensible order and in a consistent, clear style." *Practical Computing*

### For the Beginner:

*Learning to Use the PET Computer* by Garry Marshall is the first in a series of books that introduces popular micros (others to follow are ZX81, ZX Spectrum, VIC-20 and BBC Microcomputer). It eases the reader into a clear understanding of his computer.

*Programming the PET-CBM* by Rasto West is quite simply the best book on the PET ever published. It contains everything you'll ever need to know about the PET and its workings.



## READ-OUT PUBLISHING COMPANY LTD

B Camp Road, Farnborough, Hampshire, GU24 6EW Telephone: 0252 510331/2 Telex 858001 GOWER G

## READ-OUT PUBLISHING COMPANY LTD

B CAMP ROAD, FARNBOROUGH, HAMPSHIRE GU24 6EW  
24 hour answering service. Telephone: 0252 510331/2

Name

Address

Make cheques payable to Read-Out Publishing Company Ltd.

I enclose my cheque for £

Please debit my Access ☐

Signed

Number

Date

Please send me  copies of:  
All prices include postage.

- ☐ Practical Programs for the BBC Micro @ £7.50
- ☐ BASIC Programming on the BBC Microcomputer @ £5.95
- ☐ Byteing Deeper into Your ZX81 @ £6.45
- ☐ The ZX81 Pocket Book @ £5.95
- ☐ 20 Simple Electronic Projects @ £7.45
- ☐ 34 Amazing Games for the ZX81 @ £5.95
- ☐ Learning to Use the Pet Computer @ £5.45
- ☐ Programming the PET-CBM @ £7.95
- ☐ The Personal Computer Book @ £7.95

PCW-3

# Club Reports

## Why ham and chips means new wave radio

**David Kelly talks to Paul Newman, founder of the Sinclair Amateur Radio User Group.**

Paul Newman's house in Leiston is distinguished from its neighbours by the 80 foot, 16-element antenna which extends upwards into the sky from his chimney.

During the day he is a computer programmer for a software house, but by night he is to be found at his 'old pump handle'.

He is an amateur radio ham, call-sign G4INP.

In 1981 he formed SARUG, the Sinclair Amateur Radio User Group, which now has upwards of 175 members.

How did he become involved with amateur radio in the first place? Paul explains: "I was about 10 years old. Wandering round the estate where I lived, I saw this guy with funny bits of wire in his garden. I asked him what they were — he explained — and I've been fascinated ever since."

With the advent of the ZX80 he became seriously interested in the possible applications of microcomputers for amateur radio users.

The most obvious such use of a micro is for the encoding and decoding of radio messages. Nearly all amateur radio enthusiasts use either Morse code or radio teletype for transmission. Very little speech is sent or received mainly because amateur radio messages are sent all over the world. Where a voice would be unintelligible, a sequence of short and long sound pulses can still be distinguished.

Both Morse and radio teletype lend themselves to automated microcomputer control.

Paul first contacted a like-minded radio user on-air — Steve Gibbs who broadcasts from Guernsey. They corresponded for some time and then placed an advertisement, asking to hear from other radio/micro users, in the American magazine, 73. Seventy Three is ham radio slang for 'greetings'.

As a result of the advertisement Paul heard from Marty Irens, who runs the American Sinclair Amateur Radio User Group (ASARUG). Paul joined ASARUG, becoming the first British member. But he also began to think of forming a similar UK group.



Computer radio ham... Paul Newman.

Early in 1981 he wrote to Radio Communication asking for interested micro users to contact him. "I thought we could exchange ideas, programs and generally keep each other in touch," he says. "I thought it might get about 20 to 30 replies."

And indeed, when it came, how I might have thought it to be about doing it."

In the following two weeks Paul received over 200 letters. The response caused him unexpected problems. It soon became obvious that it could not organise a UK group like ASARUG. Over there it is informal — they keep in touch on-air. That would not be possible with 200 members.

So the first issue of a regular news letter was written. Called SARUG News the 10 photocopied sheets were produced and funded by Paul himself. The newsletter contained several programs,

news and views from the US and information on the use of the ZX80 in amateur radio.

In the following months the membership settled down to an enthusiastic group of about 80. In November 1981, with the ZX81 widely available, Paul formed the present group — SARUG UK. He charged a £5 subscription fee to cover printing costs.

Issue 5 of the newsletter has now been sent out. SARUG UK currently has about 180 members in 18 countries.

### Interface chip

With a one-chip interface, I/O port and a small 350 byte machine-code program, a ZX81 can be connected to a radio. A simple algorithm allows the words to be keyed in and converted into Morse. Similarly, Morse can be decoded into English.

One problem with the use of the ZX81 is that its clock timer has a harmonic that is within the amateur bands. For this reason the ZX81 has to be shielded from the transceiver.

A microcomputer is, however, not only of use in sending or receiving radio signals. It can also be used to assist in circuit or antenna design, satellite tracking, logging of contacts and continuous receiver monitoring.

SARUG UK broadcast ZX programs in the 450 to 28 MHz band range. At the next few weeks a transatlantic ZX program exchange network will be set up with ASARUG.

One of SARUG UK's members is working on a real-time satellite telemetry and tracking system.

Paul's own interest is in the link between radio conditions and the weather. Little is known about the way radio waves travel through the air, but freak atmospheric conditions do result in reception anomalies.

Paul described an incident when he picked up a radio station in Norway while trying to contact Holland. Such effects are caused by atmospheric "ducting". Layers of air of different densities can act as a funnel, called a wave-guide, down which the radio signal is channelled.

He reckons that such conditions are predictable and would like to set up a continuous monitoring station to record radio conditions, weather and wind-speed.

Membership of SARUG UK is open to all amateur radio licence holders or anyone with a proven interest in amateur radio.

For further information contact: Paul Newman (G4INP), 3 Red House Lane, Leiston, Suffolk.

## We want to hear from you!

Whether you are starting a new club, holding a special meeting, or just changing the venue, we want to hear from you.

Write to David Kelly,  
Club News, Popular Computing  
Weekly, Hobhouse Court, 19  
Whitcomb Street, London WC2  
7HF or call him on 01-930 3271.

# Reviews

## software

### Banking system

J. P. Gibbons, 14 Avon Road, Dagenham, Kent.

ZX81, 16K

Price £9.00

The ZX81 is now supported by a comprehensive catalogue of software. The vast majority of this software comprises games of one kind or another but as the ZX81 matures, an area that is being increasingly developed is the business/personal finance program.

I first saw J. P. Gibbons' Personal Banking System (PBS) at the 1981 ZX Microfair, and thought it rather over-priced at the time, at £10. A year and several refinements later, together with a drop in price, makes it look a lot more attractive.

And this program is attractive. It comes with a detailed handbook, and an amusing demonstration program, on one side of the tape. This demonstration explains how the System works, and also how Sinclair made his fortune!

The System takes a little time to set up, and careful reading of the excellent manual is necessary whilst doing so. Once this is done the program runs well.

The account name, together with the current year, date and balance brought forward, is typed in, and then details of your banking orders. This standing order file will recognise between 10 and 24 monthly, quarterly, annual and semi-annual payments in the accompanying highly fictionalised illustration. I am paying Sinclair £100.00 every six months. Illustration Computing Weekly are receiving my £10.95 annual subscription on the 8th August. Standing order No 3 is a very expensive payment of £250 every month from Jan 3. Finally, the rest is self-explanatory and pure fantasy.

Now the data from your cheque book can be typed into the System. Cheque number, date of cheque, date a payee etc. and amount are all inputted, and the PBS will then check through the standing orders, adding any that are due on that date. The program then prints the information, together with the up-dated balance, for each input. Ten pages of 12 lines each can fill in the PBS. As you can see from the next illustration, the standing order have been accounted for automatically.

Corrections of past data, or additions to the file, are easily made at any time. The program will, however, make certain that the user is sure of the correction before it proceeds with execution.

One more facility is offered by the Menu Entry Search. Using this, one can find a certain payment, described by cheque number, payee, or amount and display the

item. The program will find all occurrences of that description, so that one can, for example, find out how much has been paid to the local supermarket over the year of your life, and you wish to know.

As with any program of this nature, a printer is almost a necessity, and all the pages of the account, with other cheque numbers or payee details displayed, can be printed. The standing order file, and the Entry Searches, can also be printed.

Back-up maintenance is provided for the PBS. This is, unfortunately, a rarity for the ZX81, and other manufacturers should follow Gibbons' example in this. He will supply the purchaser with up-dates as they are implemented. Future developments will include a financial analysis routine, and a 32K version giving a statistical breakdown using histograms.

An interesting detail of the present program is a small machine-code routine for high-speed saving and loading of data, the whole process taking only some 45 seconds. The loading procedure overwrites any data presently held by the PBS, so multiple accounts can easily be handled, without the need for lengthy re-loading of the master program.

#### Summary

The unique fast-load feature, the after-sales support, and the flexibility and user-friendliness of this program make it a joy to use. Of greatest use in conjunction with a printer, J. P. Gibbons' Personal Banking System is a very successful program and can be recommended. **10**

STANDING ORDER		DATE		AMOUNT	
1	SINCLAIR	01/01/82	01/01/82	100.00	00.00
2	WEEKLY	01/01/82	01/01/82	10.95	00.00
3	EXPENSIVE	01/01/82	01/01/82	250.00	00.00
4	...	...	...	...	...
5	...	...	...	...	...
6	...	...	...	...	...
7	...	...	...	...	...
8	...	...	...	...	...
9	...	...	...	...	...
10	...	...	...	...	...

### Charset-20

Rabbit Software, 380 Station Road, Harlow, Middlesex.

Vic-20, 3K

Price £4.99

Vic owners must be relieved that some cassette software is, at last, coming on to the market at reasonable prices. We have had many calls complaining about the cost of some of the Commodore cartridges.

Charset-20 allows you to design your own characters for the Vic and is one of the more serious packages put out by Rabbit Software, a division of Cream Computers. At £4.99 the price is competitive, even in comparison with Sinclair software.

The documentation for Charset-20 is non-existent. The enclosed simple dot-matrix printer print of paper simply says Charset-20. As seems to be usual with Vic-20 programs the instructions are loaded first, before the main program. At this point you warn that you need the 3K Ram pack to use the program.

There are seven screen-works of instructions with the program. Reading through and trying to memorise the whole lot first time through is well-nigh impossible.

For the uninitiated and new Vic owners the instructions will mean very little. For example, the opening words in the instructions are "When the program is run it will display several POKEs which initialise various pointers in the Vic chip. Commands are also given to copy the character set which normally is at 32768 into Ram. Set your mind back a few months and ask how much those instructions would have meant!

The technique used to design your own characters is quite simple. You select a character you will not need to use. Using the program the Vic will display the character as an 8 by 8 dot matrix. Each dot in the matrix can then be edited using the BLK and WHF keys to set and reset the points. You use the cursor keys to move from point to point.

We gather from Rabbit that there have been some complaints from users about the lack of instructions and the need to keep referring back to the instructions program. The company says that an instruction leaflet is now included with each cassette.

#### Summary

This is a relatively simple but useful program for the Vic-20. If you are interested in learning more about how your Vic works we would recommend it. The price of £4.99 is at the end of level we would like to see of Vic programs. **10**

# Reviews

## hardware

### TE i/o port

Thornell Electronics, 85 Liverpool Road, Cadishead, Manchester  
Price £17.95 assembled and £14.55 as a kit without cable.

This is not a memory-mapped port, like many others, so you cannot use PEEK and POKE to get information out of it. Instead Thornell have provided a ROM (statement) containing a machine-code routine which does the same job.

The port is based on a Z80A Programmable Input-Output device (PIO) addressed by having the address line A7 low (ie any number below 128 will give access to the port). The configuration of the port needs to be set before use.

It contains 16 lines which can form two 8-bit ports or one 16-bit port for input or output. In fact, each bit of the 16 available lines can be individually assigned as either an input or an output. Once this is done the user can make use of two other connections from the port, the strobe and ready lines. These alert an external device that data is ready for it and waits for a reply before closing the port for a new input or output. This is often called "handshaking". Being an input/output port the full amount of RAM can be used, but care must be taken with addressing as the Sinclair's poor addressing also occurs on the input/output map.

The instructions have been simplified and should be easy enough to use by a Basic programmer or a machine-code user. The port has dimensions of 4 x 3 x 5½ inches and plugs on to the edge of the ZX81, with an edge connector at the back for RAM, printer etc. There are many other boards which can connect to this port containing relays, LEDs and joysticks made by the same company. The PIO is easy to use and the ports appear on a pcb edge on the right-hand side so no soldering is necessary. **SA**

### S-pack

DCP Microdevelopment, 2 Station Close, Unghed, Norwich  
Price £49.95; extra ROMs £14.95

This unit connects to the back of a ZX81 to provide it with a computer generated speech facility. The black box contains a special processor and a ROM containing the words to be spoken. It also contains three other sockets so that other port ROMs can be plugged in. The unit does not obstruct any other extension of the ZX81 as there is a printed circuit-board edge on the back of the box so that a RAM pack, printer etc. can still be plugged in. The S-Pack is driven from the ZX81's own



The i/o port output port now available from Thornell Electronics

power supply and requires no external amplifier since a volume control and loud-speaker are built into it. However, you want to connect it up to an external amplifier a 3.5mm jack-socket socket has been provided it is the same size as the tape leads, so the words can even be recorded on tape.

The S-Pack is memory-mapped into two locations in RAM (49149 and 49148) and is simply POKED with the number of the word required. A pause of some sort must be included before the next word is spoken in order that the processor has time to put out the word. The word may be any one of the 72 included in the first ROM (which is provided with the S-Pack) or if all the available ROMs are fitted the total vocabulary is 249 words. Most of these words are measurements such as a complete set of numbers in the first ROM from zero to a million.

The test ROM also contains the whole alphabet. This includes Zee for Z as this is an American-produced ROM! One can, however, make some words out of the other words, by shortening the words spoken. This can be done as the processor stops taking as soon as another word is POKED in. Only the beginning of the words can be used in this way though.

#### Summary

The DCP pack has a clear, but definitely intransigent voice of sufficient volume for the single user. It is very easy to use and there is much entertainment in trying to find how many other words you can make yourself. The price is well below anything yet available. **SA**

### The Electronic office

By Dennis Jarrett  
Gower Philips, 165 pages.  
Price £12.50.

To move into the age of the electronic office is costly — those intelligent copiers, teletext transceivers, satellite communications systems and so on do not come cheap. But come they will and indeed they are here.

This book also is not cheap but it is a readable, well-illustrated account of the field written by a specialist journalist.

Many users of personal computers are becoming involved with computerised accounting, data-base systems, Prestel, and even word-processing. These applications form the beginnings of a personal electronic office — an exciting concept requiring substantial investment and changes of attitude.

If your family is lakewarm about the time you spend poking around a keyboard, you might consider it worthwhile to arm yourself with this book. It presents a fascinating new world.

James is right to insist that we must move fairly slowly to the new world of automated office activity. Whether vested interests will allow us to do that is another matter. Certainly, these advances will affect us all.

#### Summary

This is one of the best "person-as-the-speed" accounts of progress, problems and potential in the field of office automation. If that interests you, then read it. **KJ**

# ABERSOFT

7 MAESAFALLEN, BOW ST., DYFED, SY24 5BA

## ZX81 & Spectrum Games

Now NEW LOW prices!!!!

PROGRAM	OLD	NEW	SPECTRUM
Chess 1.4 10 levels mvc	10.00	8.95	
Adventure 140 locations based on the original (At £10.00 well worth the money Sincire User Issue 2 review)	10.00	8.95	9.95*
Invasors Fast mvc arcade action	5.00	4.45	
Mazeman All the features of the original arcade version mvc	5.00	4.45	4.95

\*requires 48k Spectrum

All prices are inclusive  
Return of post service

## ZX81 KEYBOARD £25.95 (fully built)

A NEW 45-KEY KEYBOARD FOR THE ZX81

- 45 Keys including single keys for RUBOUT, EDIT and FUNCTION
- 2 Shift keys (left and right)
- Full repeat on all keys, including single-function keys.
- Large space key, and is the proper place!
- Typewriter switches, with full movement — not touch sensitive type.
- All symbols, graphics etc shown in two colours.
- Simply plugs into the ZX81 (RAM etc operation not impaired). Will fit a ZX80 but requires 13 solder joints.

Kit version available £22.95

Send stamped addressed envelope for illustrated catalogue and data sheet for keyboard

### HARRIS & LOCKYER ASSOCIATES

DEPT PCW, 33 PEDMORE CLOSE  
WOODROW SOUTH, REDDITCH

WORCS.

Tel: (0527) 24452

Prices include VAT and postage. Overseas add £1.50

Cash with order or now COD Phone orders welcome

## From Dreams to Reality.....

Now Available

## B.B.C Microcomputer Games Pack 1

GAMES PACK INCLUDES  
STARRATE - BLACKBACK - ALIEN  
INVASION - SIMON FORTUNE

## B.B.C Microcomputer Pack 2

Star Trek - Puck Chase -  
Mastermind

Both packs  
work in 16k

New from Epsilon Software

Beebtrek

A real time space adventure, with sound effects & colour graphics works in 16k

£7.95

Cassette Recorders

With remote control, suitable for use with BBC Micro. Supplied with lead

£28.50

RGB Colour Monitor

As used in The Computer Programme incl lead

£315.00

for further information send large S.A.E.

ADD £3.00 POST & PACKING  
ALL PRICES INCLUDE VAT

## Computers for All

72 NORTH STREET, ROMFORD, ESSEX. TEL 0708 752862



# Open Forum

*Open Forum is for you to publish your programs and ideas.*

*It is important that your programs are bug free before you send them in. We cannot test all of them.*

*Contributions should be sent to: Popular Computing Weekly, Hobhouse Court,*

*101 Whitcomb Street, London WC2H 7HF*

## How to contribute

Each week the editor goes through all the programs that you send to Open Forum in order to find the Program of the Week.

The author of that program will qualify for DOUBLE the usual fee we pay for published programs. (The usual fee is £10.)

### Presentation hints

Programs which are most likely to be considered for the Program of the Week will be computer printed and accompanied by a cassette.

The program will be well documented, the documentation being typed with a double spacing between each line.

The documentation should start with a general description of the program and then give some detail of how the program has been constructed and of its special features.

Listings taken from a ZX Printer should be cut into convenient lengths and carefully stuck down on to white paper, avoiding any creasing.

Please enclose a stamped, self-addressed envelope.

## Character plot

on Vic-20

To design your own characters for the Vic-20, it is usually necessary to draw them on an 8 x 8 grid, and then convert each line of the grid into a decimal value as in Figure 1.


The resulting values are then placed in data lines to be read by the program and poked into Ram memory locations to form the new character generator. This can be a tedious task, especially if there are many characters to be defined.

Program A allows you to design your characters on the screen, and on completion saves them on to tape ready for inclusion into any program.


### Program notes

30-40 Checks where Basic program starts. Press enter to load with at least 6K memory expansion.

to next page



Character plot  
by John Ireland  
Program A



## Open Forum

from previous cases.

Dependent on -value found here, 5 and 75 are assigned values to correspond to top left and right.

129-152 Drawn, 0.00

185-200 Movement of burks around grid, plotting to  
measure, as required

329-416 Computer value of each point on grid and  
 slope of line of array 800.0 3

490-540 *Scrub of Pisonia* No. 1200

In Line 480 A is given the value corresponding to the current array A(K), J is value, variable A is then saved.

This avoids the necessity of dimensioning an array in the program which is to use the new characters. On running the program a grid of + signs is displayed, each corresponding to a point on the character. Use the cursor control keys to move around the grid.

Type M to move without plotting. P to plot a point, F when character is finished. Should the display be ruined, for instance by hitting the stop key by mistake, typing R will redraw the grid and allow you to start over with the current character.

Program B can be inserted into your program to input the new characters from tape, placing them into memory locations determined by variable P.

## Saturn

on HBC Micro

The following program draws a spectacular view of Saturn, viewed approximately 200,000 miles away from its surface and roughly at latitude 30°.

At the start 150 stars of different colours are plotted while the planet begins to be drawn throughout the program. They are constantly changing colour but not position.

Accompanying the program as the drawing is taking place two sound channels are used. One increases in pitch while the other decreases at the same time giving a wend effect.

After the 26th and final ring has been drawn there is a short climax as the plot steadily rises up to its highest value. Sound channel 0 is then used, while a rapid flashing of the planet and its rings start progressively. With a numerous finale a French alien from Mars drops out of the top of the screen and plants a flag at the North Pole, pronouncing the planet his.

The program lasts for five minutes.  
At the start the alien shape is defined together with the shape of the Flag

Next comes star position determination, where 150 stars are put in the array A[2,150], A[1,?] being x co-ordinate and A[2,?] being Y co-ordinate.

As the program progresses in the middle of the loop at line 110 two of the stars colours are changed -- not more than the

Character plot  
Program B

```

10 PRINT "STARTING LOCATION IS " C1, C2, C3, C4, C5, C6, C7, C8, C9, C10
20 PRINT "DATE, TIME OF SPILL " D1, D2, D3, D4, D5, D6, D7, D8, D9, D10
30 GOTO 100
40 C1 = " "
50 C2 = " "
60 C3 = " "
70 C4 = " "
80 C5 = " "
90 C6 = " "
100 C1 = " "
110 C2 = " "
120 C3 = " "
130 C4 = " "
140 C5 = " "
150 C6 = " "
160 C7 = " "
170 C8 = " "
180 C9 = " "
190 C10 = " "
200 C1 = " "
210 C2 = " "
220 C3 = " "
230 C4 = " "
240 C5 = " "
250 C6 = " "
260 C7 = " "
270 C8 = " "
280 C9 = " "
290 C10 = " "
300 C1 = " "
310 C2 = " "
320 C3 = " "
330 C4 = " "
340 C5 = " "
350 C6 = " "
360 C7 = " "
370 C8 = " "
380 C9 = " "
390 C10 = " "
400 C1 = " "
410 C2 = " "
420 C3 = " "
430 C4 = " "
440 C5 = " "
450 C6 = " "
460 C7 = " "
470 C8 = " "
480 C9 = " "
490 C10 = " "
500 C1 = " "
510 C2 = " "
520 C3 = " "
530 C4 = " "
540 C5 = " "
550 C6 = " "
560 C7 = " "
570 C8 = " "
580 C9 = " "
590 C10 = " "
600 C1 = " "
610 C2 = " "
620 C3 = " "
630 C4 = " "
640 C5 = " "
650 C6 = " "
660 C7 = " "
670 C8 = " "
680 C9 = " "
690 C10 = " "
700 C1 = " "
710 C2 = " "
720 C3 = " "
730 C4 = " "
740 C5 = " "
750 C6 = " "
760 C7 = " "
770 C8 = " "
780 C9 = " "
790 C10 = " "
800 C1 = " "
810 C2 = " "
820 C3 = " "
830 C4 = " "
840 C5 = " "
850 C6 = " "
860 C7 = " "
870 C8 = " "
880 C9 = " "
890 C10 = " "
900 C1 = " "
910 C2 = " "
920 C3 = " "
930 C4 = " "
940 C5 = " "
950 C6 = " "
960 C7 = " "
970 C8 = " "
980 C9 = " "
990 C10 = " "

```

### PROGRAM OF THE WEEK

*Return*  
by Peter Donn

[illegible]



## Open Forum

otherwise the program will be slowed down too much. Overall this gives a twinkling effect throughout the program.

The point command is used in line 160 to make sure the rings go round the back of Saturn. At the heart of the program is the formula that draws the planet and its rings:  $X = \text{angle} \times \cos(\text{length})$ ,  $Y = \text{angle} \times \sin(\text{length})$  — line 160, not forgetting to change from degrees to radians.

There is only one procedure in the program — PROCstatm, which does all the drawing and sound effects.

In order to achieve the fast flashing at the end of the program two 'FX' commands are used, 'FX 8' and 'FX 10'. Apart from the features mentioned the program is fairly simple.

That is all except that in the near future I hope many people will be able to sit back on an evening with their lights off in their dining room admiring their computer's spectacular graphics, and a beautiful view of our most interesting planet!

[illegible]

### Atomic regression

## on Alam

Regression is a program written in Atom Basic which will calculate and then plot the best fitting straight line through a given set of points. Although mainly of a mathematical nature the listing does include a number of useful routines that the reader with a non-mathematical bent might also find interesting.

Its applications are many fold. Imagine being able to impress your boss with predictions of next month's sales figures. You could fabricate the display average monthly sightings of the light-mantled Sooty Terns of the local Ornithological Society or even the mean number of moves taken before being defeated by Rubik's Cube for the employment office.

Regression requires an expanded Atom with the floating point Atom and a full 5K of screen memory. The listed length slightly under 3K is intended mainly for clarity and can readily be reduced to about 1.5K.

by abbreviating commands and using multi-statement lines.

Linear regression analysis is how correctly known regressors the relationship between  $X$  and  $Y$  is expressed in the form  $X = a + bY$ . The problem is to determine the constant  $a$  and the regression coefficient  $b$  and to find the straight line to be plotted on the coordinates as the possible to the data set of values of  $X$  and  $Y$ .

The second class of the least squares. This technique sets about minimizing the errors that are found to occur when attempting to obtain a best fit. The equations for the least square method can be expressed as:

$$\frac{1}{x^2} = x^{-2} \quad \frac{d}{dx} x^{-2} = -2x^{-3} = -\frac{2}{x^3}$$

$\Sigma$  denotes "sum of." Thus  $\Sigma x$  reads "the sum of all the  $x$  values."  $n$  is the number of pairs. This  $w$ , produce the adjusted by the line of  $Y$  regression on  $X$ .

Those wanting further information on

This operation should be able to obtain data from any reasonable statistics book.

On turning the screen will clear and request you to input the number of points to be plotted. These should then be entered as X and Y values in response to the Atom's prompts. Lines 210 and 250 call subroutine k — lines 1000 to 1090 — if the number of points exceeds four. This routine, which links to FECA box in the Basic Interpreter Rom, is included to present a more acceptable screen format and can keep up to seven of the top screen lines stable whilst scrolling the rest of the screen up a single line.

The number of unrolled lins is determined by the contents of the Y index register. As the low order bytes of Basil's A, X and Y variables are transferred to their respective 6800 registers, when the LINK command is executed, it is a simple matter to load this value. The formula is simple:

$$M = \max\{D_1, \dots, D_n\} = 36$$

n is the number of lines — 0 to 7 — to be left unscripted.

[illegible][illegible]Atomic regression  
by Bruce Smith

to next page

## Open Forum

[illegible][illegible]

### Bridge deal

no. Pmt

Bridge players can never have too much practice in bidding on diverse hands, but it does get rather tiresome continually dealing out the cards for this purpose. I've never been madly keen on Pfr graphics, but one thing they can do well is produce the symbols for the suits of cards.

Four columns of thirteen cards each are printed on the screen, having been dealt at random by the use of the RND function. The ace is quite properly numbered 1. The picture cards are also left as numbers: 11 (Jack), 12 (Queen) and 13 (King), since they represent the point value of each of these cards and can thus be a useful reminder when totalling the value of the hand.

The hands of each partner are printed adjacently, so that it is easier to see how well they could support each other in play.

Bridge deck

by Gordon Millington

[illegible]

# Open Forum

## Instant screen

on ZX81

I had a program which needed to use a mixture of print and scroll statements, giving a table of results, then a series of scrolled newstates and then an updated table of results.

This was all very slick except that it took about 30 seconds to clear the screen after the scroll and so spoiled the effect.

My son was writing a space chase game and wanted a black screen. This was also spoiled by the delay while the screen was printed.

Here is a routine which will solve the problem. First type in:  
1 REM SCREENROUTINE by CHRISgraphic  
2 PRINTCHRISgraphic "Program update by  
3 user 12555/LET

Return and Let are both entered by using THEN, moving the cursor back and erasing the THEN.

There are no spaces entered between characters. There are four instructions we cannot enter from the keyboard. These are represented by ? in the listing. We must enter those one at a time using the following instructions:

```
POKE 16514:G
POKE 16513:116
POKE 16512:118
POKE 16510:120
```

To call the routine type RAND USR 16514. You will then get a black screen. To clear the screen type POKE 16527:0.

To check that it works with a short program to print something to the screen. Try, for example:

```
10 FOR I = 1 TO 20
20 PRINT "20 of any character"
30 NEXT I
40 RAND USR 16514
```

You can fill the screen with any letter, number or graphic character you wish simply by using the command, either directly or as part of the program, POKE 16527:X, where X is the number representing the character you want, as given in the back of the Sinclair ZX81 manual.

To use this routine add the few LET XX = USR 16514. You could use RAND USR 16514 but if you are using RND in your listing the same sequence of numbers will always occur.

A catch is that you must reset the print position after each time the routine is used. Do this by making the next PRINT command PRINT AT 0,0, or any desired position, or else you may get an error 5 — screen full — code, even though the screen is empty.

This routine can also be used to fill or clear any number of lines on the screen. Table 1 gives the numbers you will need to POKE 16514 and POKE 16510, either as a direct command or as part of a program.

turn to next page

## Instant screen

by Roger Elder

TABLE 1

LINE NO PRINT/CLEAR	1	2	3	4	5	6	7	8
POKE 16510	32	30	90	131	164	147	230	0
POKE 16519	0	0	0	0	0	0	0	1
LINE NO PRINT/CLEAR	9	10	11	12	13	14	15	
POKE 16510	41	74	157	140	173	200	233	0
POKE 16519	5	1	1	1	1	1	1	1
LINE NO PRINT/CLEAR	16	17	18	19	20	21		
POKE 16510	15	48	62	115	148	181		
POKE 16519	3	3	2	2	2	2		
LINE NO PRINT/CLEAR	22	23	24					
POKE 16510	214	247	25					
POKE 16519	2	2	3					

TABLE 2

DECIMAL ADDRESS	HEXCODE	OPCODE	MC BYTES	BASIC EQUIVALENT	BASIC BYTES
16514:5	2A BC 48	LD HL, 0:FEED	3	LET X=PEEK 16398:75:PEEK 16397	26
16517:9	01 05 82	LD BC, 0:0205	3	LET Y=25	11
16520	23	MC HL	1	LET X=X-1	1
16521	7E	LD A, 0:4	1	LET Z=PEEK X	10
16523	FE 78	CP 78	2	IF Z=118	11
16524:9	29 83	JR Z, 3:0000	2	THEN GOTO	10
16526:7	56 88	LD A, 80	2	LET Z=128	11
16528	77	LD 0:3A	1	POKE X,Z	10
16529	C8	DEC BC	1	LET Y=Y-1	1
16530	78	LD A,0	1	LET Y=Y-1	1
16531	B1	OR C	1	LET Y=Y-Y	1
16532	08	RET 2	1	IF Y=0 THEN RETURN	10
16533:4	1E F1	JR -10:0000	2	GOTO	10
TOTAL MC BYTES=27				TOTAL BASIC BYTES=125	
(MC LINE NO. AND ROM)				(MC LINE NO.)	

## Solitaire

by Colin McCormick

```

10000:10 PRINT "SOLITAIRE"
10001:10 PRINT "BY COLIN MCCORMICK"
10002:10 PRINT "THIS PROGRAM WILL ALLOW YOU TO PLAY SOLITAIRE ON THE ZX81"
10003:10 PRINT "CHECK THE VALUES OF YOUR POKEs. PRINTS ARE PEOPLE LAY WITH"
10004:10 PRINT "SOLITAIRE. BUT IF YOU WANT SOLITAIRE, MOVES TYPE Y"
10005:10 PRINT "AT THE END OF THE 24"
10006:10 PRINT "THE 24"
10007:10 PRINT "HOLD INSTRUCTIONS ON THE TOP OF YOUR SCREEN. TO CORRECT AN ERROR"
10008:10 PRINT "USE THE 24"
10009:10 PRINT "THE 24"
10010:10 PRINT "THE 24"
10011:10 PRINT "THE 24"
10012:10 PRINT "THE 24"
10013:10 PRINT "THE 24"
10014:10 PRINT "THE 24"
10015:10 PRINT "THE 24"
10016:10 PRINT "THE 24"
10017:10 PRINT "THE 24"
10018:10 PRINT "THE 24"
10019:10 PRINT "THE 24"
10020:10 PRINT "THE 24"
10021:10 PRINT "THE 24"
10022:10 PRINT "THE 24"
10023:10 PRINT "THE 24"
10024:10 PRINT "THE 24"
10025:10 PRINT "THE 24"
10026:10 PRINT "THE 24"
10027:10 PRINT "THE 24"
10028:10 PRINT "THE 24"
10029:10 PRINT "THE 24"
10030:10 PRINT "THE 24"
10031:10 PRINT "THE 24"
10032:10 PRINT "THE 24"
10033:10 PRINT "THE 24"
10034:10 PRINT "THE 24"
10035:10 PRINT "THE 24"
10036:10 PRINT "THE 24"
10037:10 PRINT "THE 24"
10038:10 PRINT "THE 24"
10039:10 PRINT "THE 24"
10040:10 PRINT "THE 24"
10041:10 PRINT "THE 24"
10042:10 PRINT "THE 24"
10043:10 PRINT "THE 24"
10044:10 PRINT "THE 24"
10045:10 PRINT "THE 24"
10046:10 PRINT "THE 24"
10047:10 PRINT "THE 24"
10048:10 PRINT "THE 24"
10049:10 PRINT "THE 24"
10050:10 PRINT "THE 24"
10051:10 PRINT "THE 24"
10052:10 PRINT "THE 24"
10053:10 PRINT "THE 24"
10054:10 PRINT "THE 24"
10055:10 PRINT "THE 24"
10056:10 PRINT "THE 24"
10057:10 PRINT "THE 24"
10058:10 PRINT "THE 24"
10059:10 PRINT "THE 24"
10060:10 PRINT "THE 24"
10061:10 PRINT "THE 24"
10062:10 PRINT "THE 24"
10063:10 PRINT "THE 24"
10064:10 PRINT "THE 24"
10065:10 PRINT "THE 24"
10066:10 PRINT "THE 24"
10067:10 PRINT "THE 24"
10068:10 PRINT "THE 24"
10069:10 PRINT "THE 24"
10070:10 PRINT "THE 24"
10071:10 PRINT "THE 24"
10072:10 PRINT "THE 24"
10073:10 PRINT "THE 24"
10074:10 PRINT "THE 24"
10075:10 PRINT "THE 24"
10076:10 PRINT "THE 24"
10077:10 PRINT "THE 24"
10078:10 PRINT "THE 24"
10079:10 PRINT "THE 24"
10080:10 PRINT "THE 24"
10081:10 PRINT "THE 24"
10082:10 PRINT "THE 24"
10083:10 PRINT "THE 24"
10084:10 PRINT "THE 24"
10085:10 PRINT "THE 24"
10086:10 PRINT "THE 24"
10087:10 PRINT "THE 24"
10088:10 PRINT "THE 24"
10089:10 PRINT "THE 24"
10090:10 PRINT "THE 24"
10091:10 PRINT "THE 24"
10092:10 PRINT "THE 24"
10093:10 PRINT "THE 24"
10094:10 PRINT "THE 24"
10095:10 PRINT "THE 24"
10096:10 PRINT "THE 24"
10097:10 PRINT "THE 24"
10098:10 PRINT "THE 24"
10099:10 PRINT "THE 24"
10100:10 PRINT "THE 24"

```

## Open Forum

[from overview page](#)

It also gives the number of lines, from the top, which will be cleared or filled.

Table 2 gives the complete routine. The first number is the decimal address, followed by the hex code, the op code, the number of bytes for each instruction and finally the equivalent Basic commands and the bytes that they would use.

## Solitaire

on 2/10/20

There seem to be so many programs for shopping down little events. So, for a change, here is a program that suits an old game, but with colour and sound, and no cheating.

The game is written for the Vax-20, but as the positions are played using grid statements -- lines 8010 to 1030 -- it should be converted to other machines.

An array is used for setting up which pegs are and are not present. A '1' is a peg, a '2' is no peg. The data is used to give the co-ordinates of each peg. The zeros indicate that a position does not exist. The pegs are arranged as shown and are displayed the way on the screen.

		3	4	5		
		40	14	12		
16	18	17	19	16	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
		36	39	40		
		45	46	47		

Each position has a mathematical relationship with its neighbours. This allows the calculation for checking the validity of moves to be quite simple — lines 770 to 800 and 7000 to 7003.

When the game is run, it will ask you if you want diagonal moves. If you reply 'Y' then it will go to line 7000 to check for diagonal moves when the game is played. R is the position being moved from, S is the position being moved to, and L is the peg being taken.


Subroutine 4035 erases the top line for the next instruction or message. A peg is shown on the screen in red and is shown removed in light yellow. Lines 2040 to 2080 see if only one peg remains, and if so the game stops. If this last peg is the centre one, 25, then a message of congratulations is shown.

## Snaky letters

on BPC Micro

This program contains adequate instructions. I advise you, however, to start with the lowest speed.

If you prefer to use different keys to go to next slide



### Slaky letters by Alan Wood

[illegible]

# Open Forum

from previous page

control movement just change the letters in lines 150-180.

The scoring in this game is complex, but basically A scores 1 and Z 26. Other letters score according to their position in the alphabet when you hit them. This score is displayed at the bottom of the screen. At the end of the game this score is scaled according to the speed to give an actual score.

## Currency

00 ZX81

Currency is for any ZX81 Basic 1K unit. It will convert currency A to currency B and vice versa.

When the program is first run it requires a conversion line which needs the amount of currency A per unit currency B. The program assumes that the answer is wanted to two decimal places. The sign used to denote each currency must be only one character, placed before the number.

If the currencies used are pounds and Deutsche Marks we could use £ and  $\text{DM}$ . Supposing we know  $4.20 \text{ DM} = \text{£}1$ , then enter the conversion line D4.20.

Currency

by Nick Causton

```

CURRENCY" BY N.CAUSTON
10 PRINT "ENTER SIGN CURRENCY
20 INPUT "AMOUNT A PER UNIT
CURRENCY B (SIGN CURRENCY B)"
30 INPUT "
40 LET AMOUNT A = 0.78 LEN AS - 1
50 LET AMOUNT B = 0.78 LEN BS
60 PRINT "AMOUNT A TO LEN AS
70 PRINT "AMOUNT B TO LEN BS
80 INPUT "
90 INPUT "
90 PRINT "AT 7.00 " AT 7.00, US.

```

```

100 IF US(1) = 0 THEN AS = 1 THEN PR
INT AS(1) INT AMOUNT A TO 1/MS
110 IF US(1) = 0 THEN BS = 1 THEN PR
INT BS(1) INT AMOUNT B TO 1/MS
120 SCROLL
130 SCROLL
140 GOTO 10

```

## Win the great new ZX Spectrum

All you have to do to enter this award scheme is send us a program in one of the following categories: (a) Games; (b) Educational/Scientific; (c) Business/Office; (d) Utility.

Programs for each category should be accompanied by a cassette, a copy of the listing and full documentation. Points will be awarded for use of machine code, innovation, structure and ease of use.

The overall winner will receive a ZX Spectrum and Printer. Individual category winners will be awarded £30 of software, and 24 runners-up will receive programming merit awards.

A competition coupon will be published in each issue of Popular Computing Weekly for the next five weeks. To enter the competition, you must send in your program together with any four differently numbered coupons to:

Popular Computing Weekly,  
Programming Award Scheme,  
Hobhouse Court,  
19 Whitcomb Street,  
London WC2.

### Rules

- There is no limit on the number of entries you can send in, but each entry must be accompanied by four differently numbered competition coupons.

- Closing date for entries is August 15, 1982.
- The names of the winners will be announced in the September 15 issue of Popular Computing Weekly.
- The judges' decision is final.
- Any employees of Sunshine Publications Ltd or their families will be eligible to enter the competition.



## Popular Computing Weekly Programming Award Scheme

Put in this coupon. When you have collected four differently numbered coupons, send them with your program to: Popular Computing Weekly, Programming Award Scheme, Hobhouse Court, 19 Whitcomb Street, London WC2.

NAME: .....

ADDRESS: .....

PROGRAM CATEGORY: .....



# Programming

## A numbering program you can count on

David Lawrence presents a basic re-numbering routine for the ZX81.

For those of you who have not lashed out and bought a machine code re-number facility, this basic routine will be of considerable interest. Though by no means as fast as a machine code re-number program — this routine takes around 30 seconds to re-number an average 1K program — this ZX81 basic re-numbering routine does the job. It requires just over 1K and includes the re-numbering of GOTOs and GOSUBs.

The routine is intended to be loaded at the beginning of a program. It should be saved as part of the program during its development though you may wish to delete it when the program is finalised.

The routine re-numbers all lines before 9959, starting at 1000 with a gap of 10 between the lines. If you wish to have another base, or another gap, alter the variable base in line 9976 or the increment in line 9987. Once familiar with the working of the routine, you may also wish to shorten it by reducing the variable names to single letters. This saves over 100 bytes.

To use the routine, enter GOTO 9959

- 9959 TS is the stack used to store the location of the various GOTOs and GOSUBs in the program.  
 9962 Line is simply the line number of the line currently being re-numbered.  
 9964 Length is the value of the two bytes which store the number of characters in each line.  
 9972 An error warning will occur when the GOTO or GOSUB destination is not a valid digit, eg GOTO 23 should be altered to GOTO 9928. If this error message occurs, alter the relevant command and re-run.  
 9974 The address of the first GOSUB is recorded as TS along with the destination.  
 9982 Having recorded TS at the GOTO/GOSUBs, the top of the stack TS on the second pass through the program is used as the line about to be re-numbered and a GOTO/GOSUB referring to it.  
 9985 The line is re-numbered.  
 9987 The next line number is created.  
 9990 The next renumbering line number is picked up.  
 9992 GOTO/GOSUB destinations are recorded twice in a program line, once since we are characters, and once in floating point notation. This loop copies the characters of the new line number into the bytes making the four character.  
 9993 There are two iterations. Any integer number in the range 1-255 is converted into the first three bytes of the ZX81's floating point notation.  
 9995 This line jumps past REM statements. If you wish to use a non-standard GOTO/GOSUB line GOTO 10, simply insert a REM at the beginning of the line and you will not run into the error message at line 9972.

```

9959 LET TS=""
9960 LET X1=16509
9961 LET X2=X1+2
9962 LET LINE=256*PEEK X1+PEEK (
X1+1)
9963 IF LINE>=9959 THEN GOTO 997
9964 LET LENGTH=PEEK X2+256*PEEK
(X2+1)
9965 IF PEEK (X2+2)=234 THEN GOT
0 9969
9966 FOR I=X2+2 TO X2+LENGTH
9967 IF PEEK I=236 OR PEEK I=237
THEN GOSUB 9971
9968 NEXT I
9969 LET X1=X2+LENGTH+2
9970 GOTO 9961
9971 IF PEEK (I+5)=126 THEN GOTO
9974
9972 PRINT "NON-STANDARD COMMAND
LINE ",LINE
9973 STOP
9974 LET TS=TS+STR$ I+CHR$ PEEK
(I+1)+CHR$ PEEK (I+2)+CHR$ PEEK
(I+3)+CHR$ PEEK (I+4)
9975 RETURN
9976 LET BASE=1000
9977 LET X1=16509
9978 LET X2=X1+2
9979 LET LINE=256*PEEK X1+PEEK (
X1+1)
9980 IF LINE>=9959 THEN STOP
9981 LET LENGTH=PEEK X2+256*PEEK
(X2+1)
9982 FOR I=1 TO LEN TS STEP 9
9983 IF VAL TS(I+5 TO I+8)=LINE
THEN GOSUB 9990
9984 NEXT I
9985 POKE X1,INT (BASE/256)
9986 POKE (X1+1),BASE-256*INT (B
ASE/256)
9987 LET BASE=BASE+10
9988 LET X1=X2+LENGTH+2
9989 GOTO 9978
9990 FOR J=1 TO 4
9991 POKE (VAL TS(I TO I+4)+J),C
ODE (STR$ BASE)(J)
9992 NEXT J
9993 LET BYTE1=128+INT (LN BASE/
LN 2+1)
9994 LET BYTE2=BASE+65536/(2**16
BYTE1-128)
9995 LET MEMORY=VAL TS(I TO I+4)
9996 POKE MEMORY+6,BYTE1
9997 POKE MEMORY+7,INT (BYTE2/25
5)-128
9998 POKE MEMORY+8,BYTE2-256*INT
(BYTE2/256)
9999 RETURN
  
```

# Spectrum

In this new slot various contributors explore different aspects of the ZX Spectrum.

## The rainbow route to rotating arcs

Nick Hampshire with more programs demonstrating PLOT and DRAW.

In this series I have already gone into some detail about how the Draw and Plot commands can be used on the Spectrum. They are quite adequate for most applications although the users of more sophisticated computers may well find them somewhat cumbersome.

With a bit of thought, however, we can create some very interesting effects.

Last week I introduced the Circle command as the basis for drawing a picture. In the first program, the command was used in a program loop and the radius from the centre of the disc was varied on each step. The distance between each of the set of concentric circles could be altered but we discovered that that was about all we could do with the Circle command.

The drawbacks we found with the Circle Command were that (a) the spacing between the dots in each concentric circle could not be varied, and (b) it was impossible to draw a segment of a disc.

In Figure 1 you will find another program for drawing a circle, developed from the one I presented last week. XO and YO are the co-ordinates for the centre, RA is the radius and DP is the angle between the points. It is only a short step from using the circle program in Figure 1 to drawing arcs.

There is a listing for just such a program in Figure 2. P1 is the start angle and P2 is the end angle.

In Figure 3 I have taken the program one stage further. The program draws a series of arcs, within a loop, forming a number of concentric arcs with the spacing between the arcs changing every fourth run in the loop.

To add to the effect the colour of the points are changed on each step. The result is an image of a rainbow. The colour codes are held in the data statement in line 400, read in line 80 and acted on in line 85.

The next stage is to add some movement to the graphic figures we have created. Figure 4 is a program with which to rotate the picture. All the program does is rotate a point about the centre of the circle, at co-ordinates X, Y

in a radius XR. To do this I have used a matrix transform technique.

The matrix is stored in array C and is loaded in lines 1200-1240. The rotation is performed by lines 1000-1020. The plotting is controlled in lines 100-210. R1 is the incremented angle and XR is the radius.

Finally for this week is the program in Figure 5. It is the same as Figure 4 except that it rotates the image instead of a point. XR is the inside radius of the image, starting relative to the centre. XE is the outside radius of the image, relative to the centre and R1 is the incremented angle.

Next week I will develop some more sophisticated rotating graphic programs and, if there is space, start introducing some ideas about three-dimensional graphics.

In the meantime I hope that some of you will soon have your Spectrums delivered. When you do let me know if you can find simpler ways of creating any of the same effects.




Fig. 1




Fig. 2



Fig. 3



Fig. 4



Fig. 5

# Sound & vision



## Going traditional with Pet sounds

Greensleeves and The Yellow Rose of Texas are both programs which play rings on the Commodore Vic20. The heart of the Greensleeves program lies in line 20, which pokes the data into the Vic20. The data statements, which tell the Vic20 which note to play, are contained in lines 30-100.

Similarly, the code of The Yellow Rose of Texas program lies in lines 10-80. These lines poke the data statements from the program into the Vic20.

Both programs were printed on my school's Pet printer. Vic programs on cassette will not normally load onto the Pet, but this problem can be overcome with a machine code routine. The following routine should be useful for anyone who wants to obtain a listing of a Vic program from a Pet printer.

```
1 GOTO 1024
2 M0400 0407
3 0400 00 01 10 00 8F 00 00
4 PRINT RETURN
5 PRINT C=0: RETURN
```

If your Pet cannot use machine code, enter the following line:

POKE 40231 POKE 4110 CLR

Nagendra Jaysankar

## Contribute!

You can share your own favourite Sound or Vision programs with other readers by sending lists with explanations to us at Popular Computing Weekly.

WRITE TO: Sound & Vision, Popular Computing Weekly, Hotchcombe Court, 19 Whitcomb Street, London WC2E 7HF.

### GREENSLEEVES

```
1 POKE *****
2 POKE *****
3 POKE *****
4 POKE *****
5 POKE *****
6 POKE *****
7 POKE *****
8 POKE *****
9 POKE *****
10 POKE *****
20 POKE *****
30 DATA *****
40 DATA *****
50 DATA *****
60 DATA *****
70 DATA *****
80 DATA *****
90 DATA *****
100 DATA *****
```

```
*****
*
*
*
*
*
*
*
*
*
*
*****
```

0 200 250 300 350 400 450 500

0 200 250 300 350 400 450 500

0 200 250 300 350 400 450 500

0 200 250 300 350 400 450 500

0 200 250 300 350 400 450 500

0 200 250 300 350 400 450 500

0 200 250 300 350 400 450 500

0 200 250 300 350 400 450 500

0 200 250 300 350 400 450 500

0 200 250 300 350 400 450 500

0 200 250 300 350 400 450 500

0 200 250 300 350 400 450 500

0 200 250 300 350 400 450 500

0 200 250 300 350 400 450 500

0 200 250 300 350 400 450 500

0 200 250 300 350 400 450 500

0 200 250 300 350 400 450 500

0 200 250 300 350 400 450 500

0 200 250 300 350 400 450 500

0 200 250 300 350 400 450 500



# Peek & poke

Peek your problems to our address. Ian Beardsmore will poke back an answer.

## WATCH THIS SPACE BEFORE CHOOSING

J. R. Barrett of Sheffield Chase, Little Sutton, Cheshire, writes

**Q** Could you tell me which computer, if any, is best suited for my needs. Besides the usual features, it should be able to file an index for my record collection which includes 1,000 Singles, 500 LPs and 400 78s. Cross-references should include artists, titles, first lines of songs and musical groupings such as Classical Rock and Country. And if that is not enough, I would like a strong Chess player as well.

**A** The most essential thing that you need is storage space, and in effect that means a disc unit. The one essential piece of information that you leave out is price. The cheapest solution would be a ZX81 and a Monolith disc drive, but that would leave you little change out of £301. A BBC Micro, or a Vic-20, with disc drive would both be up in the £400 range.

You also fail to say how soon you need your computer. This year is going to see a great deal of activity in the micro-market with both Acorn and Commodore promising to bring out cheaper computers to compete with the ZX Spectrum.

More importantly, the new ZX Microdrive is on the horizon. It is already causing a great deal of interest as it looks set to cut the price of disc storage by at least 50% if not more. But, it will be some months yet before the Microdrive comes into the market. It is safe to assume that once it does come out, interfaces will quickly be developed to allow it to be used on other computers, in much the same way as the ZX Printer can now be used with a Vic-20, or a BBC Micro.

My advice is to wait until the autumn, by which time you should find your options greatly enhanced. Concentrate on the main computers — the ZX

Spectrum, the proposed Acorn Electron and the new Vic-10 and Vic-30 — as they are the best supported. Also keep an eye on the developments of the Sinclair Microdrive disc unit. As for the Chess, there are quite a few programs to choose from, and I am sure finding one to suit will not be much of a problem.

## FLASHER STRIKES IN BORDER INCIDENT

P. Masters of Thins Grove, London, N10 writes

**Q** I have a BBC microcomputer Model B. Please could you tell me if the BBC Micro has an equivalent command to the BORDER command on the ZX Spectrum and the Vic20?

I would also like to know how to alter the flash rates of the colours. It is possible to alter the combinations of colour to get flashing red/black, instead of the red/cyan?

**A** The answer to your first question is no. The BBC Micro uses the 6845 chip, which has an uncommitted logic array when it comes to defining a BORDER. Unlike, for example the Vic chip, the 6845 simply does not have a BORDER function in its architecture.

Changing the flash rates and the colours is done by changing the numbers before or after the comma. These numbers control the colour on the screen and its duration.

FX 125

Change the number before the comma to change the colour and change the number after the comma to change the duration.

## GAME, SET AND MATCH—AT ONCE!

Stuart Fox of St Mary's Way, Walsall, West Midlands, writes

**Q** I am writing a number of games for my BBC Microcomputer in which it is necessary to do a keyboard scan. So far I have been using the INKEY function. This

works once, when the key is pressed, but there is a delay before it works again as the key is being held down. How can I get a smooth action without this delay?

**A** Before reading the keyboard input the following two:

\*FX 12,1

\*FX 11,1

This will cause the key to repeat as soon as it is pressed. Follow it with this line, which clears the buffer, after the appropriate INKEY or GET statement.

\*FX 15,1

## WHEN A COMPUTER IS NOT A COMPUTER

C. R. James of The Grove, Heston-on-Thames writes:

**Q** I am the owner of a Philips G7000 and am greatly frustrated by the limit of the computer's programability. There must be one more microcomputer, the Acorn and the Commodore, which are more powerful than the G7000 has.

Is there any way to expand the G7000? I am tempted to buy a computer from Digital, as the storage is greater than the G7000 which only has about 1K.

**A** This caused me some problems when I first read it. A Philips G7000? It was a new name to me.

The problem was sorted out after telephone conversations with Philips, Computer and Video Games, and Carl Beyer, all of whom were very helpful. It turns out that the Philips G7000 is not a computer, it is a computerised video TV games machine.

While you can use a computer to play games on your television, you cannot use a games machine as a computer. Apart from a very simple 'Teach yourself Basic' cartridge, which has nothing like the range or capacity of a real computer, there is no way you can use the G7000 as a home based micro.

If you want to get a micro then I would suggest that you look at something like the Vic,

an Acorn, or a ZX, all of which are well supported. You might find it worthwhile to wait a few months as new releases are due from both Acorn and Vic, which should widen your choice.

If you decide not to sell your Philips, then there is a club for Philips owners. The address is, 37000 Video Game Club, 145 Station Road, Harrow, Middlesex.

There is one more point to make. Did you buy your G7000 because you thought it was a computer, or because you went into a shop, asked for a computer, and was sold a G7000. In the first case, I'm afraid that it is just bad luck. In the second case, I suggest that you return the machine and try and get your money back.

## APOLOGY

Several people have written and pointed out that the answer I gave to Simon Cray in issue 5 was wrong. You can EDIT even if your memory is nearly full!

The first method is to LIST the line that has to be EDITED, and then press SHIFT+END. I already knew about this method, but made the mistake of assuming that Simon had already tried it. However, this method does not always work, especially when the memory is very close to being completely full.

One method that will work, even when the previous one fails, is the following:

1. Move the cursor to the line you want to EDIT.
2. Enter CLS followed by NEW LINE.
3. Press SHIFT+EDIT simultaneously.

This frees the computer from having to maintain a screen display. The line you want to EDIT will be ready and waiting at the bottom.

Send your questions to Peek & Poke, Popular Computing Weekly, Hobhouse Court, 19 Whitcham Street, London WC2 7HP.

# Competitions

## Puzzle No 11

### Puzzle No 11

A bee hive stands at the end of a straight one-mile-long wall on a country estate. Growing along the foot of the wall are some clover plants. The first plant is one foot from the hive entrance. The distance between the first plant and the second is three feet, between the second and third is five feet, and so on. In other words, the distance between each successive plant increases by two feet each time.

A bee starts from the hive, flies to the first plant, collects the pollen and returns to the hive. It then flies to the second plant, collects the pollen, and returns to the hive. It repeats this procedure to all the flowers until it returns, exhausted, from the plant at the end of the wall furthest from the hive. What is the total distance that the bee has flown during its work?

### Solution to Puzzle No 7

For the nine discs there are  $9 \times 8 \times 7 \times 6 = 3024$  possible combinations. Each set of four digits can be arranged into any one of 24 different combinations, so the number of different draws possible is  $3024/24 = 126$ .

We now need to know how many of these combinations cannot be arranged, such that at least one of each of the 24 possible arrangements is a multiple of seven.

By running the program, it can be shown that there are only three possible sets: 1236, 1369 and 2469.

10 LET Y=0  
20 FOR A=1 TO 6  
30 FOR B=(A+1) TO 7  
40 FOR C=(B+1) TO 8  
50 FOR D=(C+1) TO 9

60 LET NS=STRS D+1000+C+100+B+10+A  
70 FOR E=1 TO 4  
80 FOR F=1 TO 4  
90 IF E=F THEN GOTO 160  
100 FOR G=1 TO 4  
110 IF G=E OR G=F THEN GOTO 150  
120 LET N=10-(E+F+G)  
130 LET N=VAL NS (2)+1000+VAL NS (3)+100+VAL NS (4)+10+VAL NS (5)  
140 IF N7=NOT (N7) THEN GOTO 190  
150 NEXT G  
160 NEXT F  
170 NEXT E  
180 LET Y=Y+1  
185 PRINT N  
190 NEXT D  
200 NEXT C  
210 NEXT B  
220 NEXT A  
230 PRINT AT 18, 2: "NUMBERS OF SUCCESSFUL DRAWS": Y

Of the 126 different draws possible, only three will produce winning numbers. So, to win a pound for a 10p stake the odds are rather unfavourable — 41 to 1 against!

### Winner of Puzzle No 7

The winner is: David Budd, Camelford Close, Huttis, Manchester, who gets £10.


### Solution to Crossword No 7

Across: 6 Noddy, 9 Process, 10 Eds, 11 Compiler, 13 Paging, 14 Niece, 17 Exchange, 19 Call, 21 Execute, 22 Wreck.  
Down: 1 Interpreter, 2 Adding, 3 Ash, 4 EPROM, 5 Soup tin, 6 Call, 7 Ostich-like, 12 Sneak up, 15 Reader, 16 Agree, 18 Crew, 19 Axl.

### Winner of Crossword No 7

The winner is: Clive Parry, Latent, Cornwall, who receives £10.

## Crossword No 11



### Across


- 4 One that's over a kip (3)
- 5 Contest to find time to laugh, witty get (6)
- 10 Signs from earth, fire, wind and water (5)
- 11 Late in expression (4)
- 12 Weak for a moment (5)
- 14 Return about the sound of gun-fires (5)
- 17 Learner's official device (5)
- 18 Combined maps not up and with great (8)
- 20 Measure of metal stress (5)
- 21 B&P, returning with equal value (3)

### Down

- 1 Light beams show how fast rotating system (6)
- 2 Capital dandy plunges pin below (11)
- 3 Peter gets his identity to find a soft tester (1, 5, 5)
- 4 Machinery in kindy style (5)
- 5 Cops lose a hundred (10)
- 6 Smart monitor arranging the loop — AN (3, 1)
- 7 Is less than the island (5)
- 12 Check results if the computer provides a memory (7)
- 13 They get along in male speculation (5)
- 15 Press on and be again (5)
- 17 Laser cutter (5)
- 19 Smoothly and quietly terminate (5)

## CITIZEN PAIN


BY DAVID IRELAND and JAMES MACDONALD



 **commodore**

# COMPUTING

April/May 1982 £1.25



## An exciting new Commodore peripheral

Own or use a Pet or a Vic?  
Fed up with being ignored by all the  
traditional monthly magazines?

Fed up with listings, which are too simple  
or simply do not work?

You need *Commodore Computing*, the new  
monthly magazine. *Commodore Computing*  
is published by Nick Hampshire, author of  
*The Pet Revealed*, *Pet Graphics*, *A Library*  
*Subroutines* and *The Vic Revealed*.

Each issue is packed with advanced

advice on how to make the most of your  
computer, whether you use a Pet or a Vic.

Each issue covers a host of applications  
— software, hardware, machine code, games,  
business use — whatever it is you'll find it in  
*Commodore Computing*.

If you want to learn more about your  
computer, take out a subscription to  
*Commodore Computing*.

That's the only way to get it, and get it  
straight.

Send £12.50 for 1 year's subscription (10 issues) to:

Commodore Computing,  
Magsub, Oakfield House, Perrymount Road, Haywards Heath, Sussex RH16 3DH

13 June 84

**ZX81 ..... B.B.C. MICRO ..... ATOM ..... VIC**

**even more fun on  
your VIC from**

**BUG-BYTE  
SOFTWARE**



## VICMEN

Undoubtedly the best game currently available for the VIC-20, based on the popular 'Puckman' arcade game. High resolution, colour graphics are used, and the game may be played using either the keyboard or a joystick. All the features of the real game, including sound effects, high score, bonus man etc. Written entirely in machine code so as to fit in the unexpanded VIC-20. Described by Your Computer (June 1982) as "brilliant".

**£7 inclusive**



## VIC PANIC

Based on the popular and addictive arcade game 'Space Panic', this is yet another full feature machine code game for the unexpanded VIC-20. Climb the ladders and dig holes to trap the monsters. Full use is made of high resolution graphics and sound effects.

**£7 inclusive**



## VIC COSMIADS

A superb fast-moving and very addictive version of the popular Galaxians game, for the unexpanded VIC-20. You are continuously under attack from the swooping aliens. Shoot them all down and a new wave of even more ferocious aliens appear. Great sound effects.

**£7 inclusive**

**BUG-BYTE  
SOFTWARE**

100 The Albany, Old Hall Street, Liverpool L3 9EP

**VIC-20**  
**ANOTHER VIC  
IN THE WALL**  
**£7** A disk machine code version of 'Puckman' for the unexpanded VIC

## VIC ASTEROIDS

The famous arcade game with fun for all the family, specially created for the unexpanded VIC

**£7**

## sinclair ZX81



Also for the VIC:  
VIC MEN £7.00  
VIC GAMMON £7.00

MAZOGH	£18.00	INVASERS	£4.00
SPARTAN	£3.00	DICTIONARY	£9.00
ZXAS ASSEMBLER	£3.00	DANIEL & THE BEAST	£5.50
ZX81 DISASSEMBLER	£5.50	CONSTELLATION	£8.00
ZX81 SOCKET	£8.00	PROGRAM PACKS 1-8 (each)	£4.00
MULTIPLE	£17.50		

## BBC MICRO

SPACE WARP	£11.50
B.B.C. CHESS	£11.50
B.B.C. MULTIPLE	£5.00
B.B.C. BACKGAMMON	£8.00
B.B.C. GOLF	£7.00



## ATOM



INVASERS	£8.00	FRUIT MACHINE	£4.00
CHESS	£8.00	PINBALL	£8.50
747 FLIGHT	£8.00	LABYRINTH	£7.00
SIMULATION	£8.00	LUNAR LANDER	£5.50
GALAXIANS	£8.00	GOLF	£5.00
BREAKOUT	£4.00		

ALL PRICES INCLUDE POSTAGE

Please send me:  
 1 machine (specify VIC) for \_\_\_\_\_  
 100 The Albany, Old Hall Street, Liverpool L3 9EP  
 Enclosed £\_\_\_\_\_  
 Name \_\_\_\_\_  
 Address \_\_\_\_\_  
 Order \_\_\_\_\_  
 Cheques through Bankers  
 ACCESS, BARCLAYCARD, ORDERS ONLY ON 24h  
 ANDAMORE 051-02 2845, or mail to  
**BUG-BYTE SOFTWARE**  
 FREEPOST (No stamp req.)  
 LIVERPOOL L3 9AB

Pop. C.W.710

**ZX81 ..... B.B.C. MICRO ..... ATOM ..... VIC**

